





CAPE TOWN: ☎ 021 001 8686 ⊠ info@mcmco.co.za ♀ 2 Alkin Park, 4 Montreal Drive, Airport Industria, Cape Town, 7490

GAUTENG: 8012 030 3451 INTO@mcmco.co.za 26 Sterling Rd, Unit 1, Samrand Business Park, Midrand, 1682

DUMPING HEIGHT

2100mm/82.7inch

OUTPUT RATING

50HP/37KW

OPERATING WEIGHT

2800KGS/6173LBS















Model	WS850T
Size and Speed	
Operating Weight	2800kgs (6173lbs)
Operating Load	700kgs (1543lbs)
Width Without Bucket	1402mm (55.2inch)
Bucket Capacity	0.3m³
Travel Speed - Low Range	10km/hr (6.2mph)
Travel Speed - High Range (optional Two-Speed travel)	Opt
Track Model	300*52.5
Hydraulic System	
Engine	Xinchai 490
Engine (EPA Tir 4)	Opt
Engine (EURO V)	Opt
Horsepower	50HP (37KW)
Туре	Turbo Diesel
Fuel Tank Capacity	50L (13.2gal)
Rated Flow Flue	60L/min (15.8GPM) (Std)
High Flow Flue	N/A
Control Option	
Joystick - Mechanical	N/A
Foot pedals/steering levers - Hydraulic	Std
Overall operating height	
Overall operating height	3350mm (132 inch)
Height to	
Bucket hinge pin	2770mm (109 inch)
Top of CAB	1900mm (75 inch)
Bottom of level bucket, fully raised	2050mm (80.7 inch)
Overall length	
Overall length without bucket	2300mm (90.5 inch)
Overall length with foundry excavation bucket on ground	2950mm (116 inch)
Dump	
Dump angle	40°
Dump height with foundry/excavating bucket	2100mm (82.7 inch)
Dump reach (max height)	790mm (31.1 inch)
Maximum attachment rollback	
Bucket on ground	30°
Bucket at full height	104°
Wheelbase and clearance	
Wheelbase	1240mm (48.8 inch)
Ground clearance (bottom of belly pan)	140mm (5.5 inch)
Angle of departure	20°



1825mm (71.9 inch)
1264mm (49.8 inch)
594mm (23.4 inch)
1102mm (43.4 inch)
1402mm (55.2 inch)
1500mm (59.1 inch)
N/A
Opt
Opt
Std
Opt
Opt
Std
Opt

























REG NO: 2008/038487/23

