







CAPE TOWN: **☎** 021 001 8686 ⊠ info@mcmco.co.za ♀ 2 Alkin Park, 4 Montreal Drive, Airport Industria, Cape Town, 7490

GAUTENG: ☎ 012 030 3451 🖂 info@mcmco.co.za

• 26 Sterling Rd, Unit 1, Samrand Business Park, Midrand, 1682

DUMPING HEIGHT

2230mm/87.8inch

OUTPUT RATING

75HP/55KW

OPERATING WEIGHT

3800KGS/8378LBS













Model	WS875T
Size and Speed	
Operating Weight	3800kgs (8378lbs)
Operating Load	1000kgs (2205lbs)
Width Without Bucket	1880mm (74inch)
Bucket Capacity	0.5m³
Travel Speed - Low Range	12km/hr (7.5mph)
Travel Speed - High Range (optional Two-Speed travel)	18km/hr (11.2mph)
Track Model	320*84
Hydraulic System	
Engine	Xinchai 490 - Std
Engine (EPA Tir 4)	Opt
Engine (EURO V)	Opt
Horsepower	75HP (55KW)
Туре	Turbo Diesel
Fuel Tank Capacity	90L (23.8gal)
Rated Flow Flue	80 L/min (21.1GPM) - Std
High Flow Flue	120L/min (31.7GPM) - Opt
Control Option	
Joystick - Mechanical	N/A
Foot pedals/steering levers - Hydraulic	Std
Overall operating height	
Overall operating height	3480mm (137 inch)
Height to	
Bucket hinge pin	2900mm (114.2 inch)
Top of CAB	2150mm (84 inch)
Bottom of level bucket, fully raised	2730mm (107.5 inch)
Overall length	
Overall length without bucket	2750mm (108.3 inch)
Overall length with foundry excavation bucket on ground	3500mm (137.8 inch)
Dump	
Dump angle	40°
Dump height with foundry/excavating bucket	2230mm (87.8 inch)
Dump reach (max height)	715mm (28.1 inch)
Maximum attachment rollback	
Bucket on ground	30°
Bucket at full height	104°
Wheelbase and clearance	
Wheelbase	1500mm (59 inch)
Ground clearance (bottom of belly pan)	200mm (8 inch)
Angle of departure	20°



Clearance circle without bucket	1298mm (51.1 inch)
Clearance circle with foundry bucket in carry position	2010mm (79.1 inch)
Clearance circle rear	1714mm (67.5 inch)
Rear axle to bumper	890mm (35 inch)
Tread width	1462mm (57.6 inch)
Overall width	1782mm (70.2 inch)
Bucekt width	1830mm (72 inch)
Machine Features	
Two-Speed Travel	Opt
Heated Cloth Air-Ride Seat	Opt
Back-Up Alarm and Horn	Opt
Cab With Air Conditioning	Std
Cab With Heat and Air Conditioning	Opt
Standard Display (includes keyless start)	Opt
LED Front and Rear Lights	Std
Mechanical Suspension Seat	Opt
Radio	Opt
Automatic Ride Control	Opt
ROPS/FOPS-Approved Cab Structure	Opt
Side Lighting Kit	Opt
Sound Reduction Package	Opt























